

**DORMA GmbH & Co. KG**  
**DORMA Platz 1**  
**58256 Ennepetal**  
**Germany**

als verantwortlicher Hersteller der / as the manufacturer responsible for the / in qualità di responsabile produttore del

**DORMA TS 91, DORMA TS 92**  
**EG Konformitätszertifikat: 0432 – BPR - 0051**

erklärt hiermit die Übereinstimmung, der oben aufgeführten Produkte/Systeme mit den zutreffenden Anforderungen über die Sicherheitsziele folgender Richtlinie des Rates zur Angleichung der Rechtsvorschriften der Mitgliedstaaten der EG /


hereby confirms that products/systems corresponding to the above type of construction comply with all the essential health and safety requirements applying to them as pursuant to the European Council Directive on the Approximation of the Laws of the Member States, and specifically with the following European Council Directives /

Con la presente si certifica che i prodotti/sistemi sopra menzionati sono conformi a tutte le caratteristiche di salute e igiene richieste dal Consiglio di Direzione Europeo in base alle leggi in vigore degli Stati membri e in particolare con le Direttive del Consiglio Europeo:

- |                                     |                    |   |
|-------------------------------------|--------------------|---|
| <input type="checkbox"/>            | 73/23/EWG/EEC/CEE  | Niederspannungsrichtlinie / Low voltage directive / Directive basse tension                         |
| <input checked="" type="checkbox"/> | 89/106/EWG/EEC/CEE | Bauprodukte / Building products / Prodotti da costruzione   |
| <input type="checkbox"/>            | 89/336/EWG/EEC/CEE | Elektromagnetische Verträglichkeit / Electromagnetic compatibility / Compatibilità elettromagnetica |
| <input type="checkbox"/>            | 98/37/EG           | Maschinenrichtlinie / Machinery directive / Directive machine                                       |

Es wurden die produktrelevanten Abschnitte der folgenden Normen und Bestimmungen angewandt / In view of the relevant paragraphs for our product, this declaration is based on the following applied standards / Con riferimento ai paragrafi delle normative applicabili ai prodotti sopraelencati, questa dichiarazione si applica specificatamente ai seguenti standard evidenziati:

- |   |                          |              |                          |                  |                                     |         |
|---|--------------------------|--------------|--------------------------|------------------|-------------------------------------|---------|
| Harmonisierte europäische Norm /<br>Harmonized European standards /<br>Norma Europea armonizzata: | <input type="checkbox"/> | EN 292-2     | <input type="checkbox"/> | EN 61000 - 6 - 2 | <input checked="" type="checkbox"/> | EN 1154 |
|   | <input type="checkbox"/> | EN 294       | <input type="checkbox"/> | EN 55014         | <input type="checkbox"/>            | EN 1155 |
|   | <input type="checkbox"/> | EN 50081 - 1 | <input type="checkbox"/> | EN 55022         | <input type="checkbox"/>            | EN 1158 |
|   | <input type="checkbox"/> | EN 50081 - 2 | <input type="checkbox"/> | EN 60335 - 1     | <input type="checkbox"/>            | EN 1125 |
|   | <input type="checkbox"/> | EN 50082 - 1 | <input type="checkbox"/> | EN 60950 - 1     | <input type="checkbox"/>            | EN 179  |
|   | <input type="checkbox"/> | EN 50082 - 2 | <input type="checkbox"/> |                  | <input type="checkbox"/>            |         |

  
ppa. J.Lankes



Ennepetal, 18.May.2010

**CE mark for building products**  
**Door closer approved to EN 1154**

#### PACKAGE CONTENTS

- Door closer with cover
- Slide channel
- Mounting plate
- Screw pack
- Drilling template
- Mounting instruction (Figures)
- Mounting instruction, Instruction for use, Maintenance, (Text)

#### MOUNTING INSTRUCTION

Please read mounting instruction carefully and follow mounting drawings.  
 Mounting position of the door closer ( standard fixing on door leaf, hinge side) can be seen from the instruction.

- 1** If there are no pre-drilled bore holes at the door, use drilling template, mark drill holes, drill pilot hole of core diameter  $\varnothing$  4,2 mm and tap thread (M 5).  
  
Screw on the mounting plate with M5x16 screws enclosed.
- 2** Fix the door closer with M5x10 screws enclosed to the mounting plate.  
Fix the main arm with M6x20 screw to the door closer spindle
- 3** Screw on the slide channel with M5x30.
- 4** Close valve no.1 of the door closer, open the door, move the main arm towards the slide channel and connect the main arm with the sliding unit.
- 5** Adjust closing speed in the area from 180° to 15° by valve no. 1- according to standard EN 1154 closing time from 90° door opening angle should be between 3 and 7 seconds.
- 6** Adjust closing speed in the area from 15° to 0° by valve no. 2 in such a way that hand or fingers are not squeezed between the door frame and door leaf.
- 7** Clip on door closer end caps and cover
- 8** If required, the slide channel can be readjusted thanks to oblong holes in the fixing pads.  
Clip on slide channel cover.
- 9** Set a door stop at 180°.

#### INSTRUCTION FOR USE

**GB**

The closing action should be in line with EN 1154 in order to avoid hazard and to safeguard the door (see positions 5 and 6 Mounting instruction).  
 The cover has to be installed at any time in order to prevent mishandling of the valves.  
 Make sure that the closing cycle is not affected by friction ( e.g. rubbing of the door leaf on the floor) or obstacles.  
 Do not tamper with the door closer or with the arm assembly.




#### MAINTENANCE

Door closers should be regularly controlled each month, a thorough inspection should be effected each 6 months.  
 Check fixing screws to ensure they are tight and secure.  
 Check closing speed and end latch according to requirements of EN 1154 (see positions 5 and 6 Mounting instruction).  
 Check that there are no oil leakages  
 Check for ease of door operation  
 Keep the door closer clean  
 Replace the door closer if the closer is not performing as required













**Please keep this instruction for a correct maintenance of the door and all component.**

WN 055472  
01/02












WN 056596 45532  
1/4 06/06



CE	DORMA GmbH + Co. KG	04
	Postfach 4009 58 247 Ennepetal	4 8 4 1 1 3
0432 - BPR-0051	EN 1154:1996+A1:2002	
Dangerous substances: None		

Änderungen vorbehalten  
Subject to change without notice

WN 056596-45532  
2/4  
06/06



Änderungen vorbehalten  
Subject to change without notice

# LEISTUNGSERKLÄRUNG DECLARATION OF PERFORMANCE



DOP\_0014

## EU Nr. 305/2011 Leistungserklärung de

Türschließmittel mit kontrolliertem Schließablauf: **DORMA TS 91 B EN4**

Vorgesehener Verwendungszweck des Bauprodukts gemäß der anwendbaren harmonisierten technischen Spezifikation:  
selbstschließende Feuer- und Rauchschutztüren

Hersteller: DORMA GmbH + Co. KG - DORMA Platz 1 - 58256 Ennepetal

System zur Bewertung und Überprüfung der Leistungsbeständigkeit gemäß EU Nr. 305/2011 Anhang V: System 1.

Die notifizierte Stelle MPA NRW 0432 hat die Bewertung und Überprüfung der Leistungsbeständigkeit nach System 1 gemäß EU Nr. 305/2011 Anhang V vorgenommen und das Konformitätszertifikat ausgestellt: 0432-CPD-0051.

Die Leistung des Produkts entspricht der erklärten Leistung. Verantwortlich für die Erstellung dieser Leistungserklärung ist allein der Hersteller.

## EU Nr. 305/2011 Declaration of Performance en

Controlled door closing devices: **DORMA TS 91 B EN4**

Intended use of the construction product in accordance with the applicable harmonized technical specification: On fire and smoke compartmentation doors to fulfil the self closing requirements of such doors.

Manufacturer: DORMA GmbH + Co. KG - DORMA Platz 1 - 58256 Ennepetal

System of assessment and verification of constancy of performance of the construction product as set out in EU Nr.305/2011 Annex V: System 1

The notified body MPA NRW 0432 performed the assessment and verification of constancy of performance in accordance with System 1 as set out in EU Nr. 305/2011 Annex V and issued the certificate(s) of conformity: 0432-CPD-0051.

The performance of the product is in conformity with the declared performance. The declaration of performance is issued under the sole responsibility of the manufacturer.

## N° UE 305/2011 Déclaration des performances fr

Dispositifs de fermeture de porte avec amortissement : **DORMA TS 91 B EN4**

Utilisation prévue du produit du bâtiment conformément à la spécification technique harmonisée applicable: Portes coupe-feu et étanches aux fumées à fermeture automatique

Fabricant : DORMA GmbH + Co. KG - DORMA Platz 1 - 58256 Ennepetal

Système d'évaluation et de vérification de constance des performances conformément au Règlement du Parlement Européen n° 305/2011 Annexe V : Système 1.

L'organisme notifié MPA NRW 0432 a effectué l'évaluation et la vérification de constance des performances conformément aux exigences du Système 1 selon le Règlement du Parlement Européen n° 305/2011 Annexe V et a établi le/les certificats de conformité: 0432-CPD-0051.

Les performances du produit correspondent aux performances déclarées. La déclaration de performances relève de la seule responsabilité du fabricant.

# LEISTUNGSERKLÄRUNG DECLARATION OF PERFORMANCE



## Erklärte Leistung

Wesentliche Merkmale	Leistung	Harmonisierte technische Spezifikation
Selbstschließend	<ul style="list-style-type: none"> <li>▪ Schließen von Türen aus mindestens 180° Türöffnung Klasse 4</li> <li>▪ Türschließergröße EN4</li> <li>▪ Anwendbarkeit an Feuer- u. Rauchschutztüren Klasse 1</li> <li>▪ Sicherheit Klasse 1</li> <li>▪ Temperaturabhängigkeit bei +40°C und -15°C: &gt;=3s &lt;=25s</li> </ul>	EN1154:1996 + A1:2002
Dauerhaftigkeit selbstschließend	<ul style="list-style-type: none"> <li>▪ Dauerfunktion 500000 Zyklen Klasse 8</li> <li>▪ Hohe Korrosionsbeständigkeit Klasse 3</li> </ul>	
Gefährliche Substanzen	<ul style="list-style-type: none"> <li>▪ Besonders besorgniserregende Stoffe &lt; Grenzwerte</li> </ul>	

## Declared performance

Essential characteristic	Performance	Harmonised technical specification
Self-closing	<ul style="list-style-type: none"> <li>▪ Closing doors from &gt;= 180° open grade 4</li> <li>▪ Door closer power size EN4</li> <li>▪ Suitability for fire/smoke door use grade1</li> <li>▪ Safety grade 1</li> <li>▪ Temperature dependence +40°C and -15°C: &gt;=3s &lt;=25s</li> </ul>	EN1154:1996 + A1:2002
Durability of self-closing	<ul style="list-style-type: none"> <li>▪ Durability 500000 cycles grade 8</li> <li>▪ High corrosion resistance grade 3</li> </ul>	
Dangerous substances	<ul style="list-style-type: none"> <li>▪ Substances of very high concern &lt; threshold values</li> </ul>	